PRECISION

CATALOG 2012

LED TV

LCD TV

www.precisiontrading.com

PRECISION

CRT TV
21″

Model	Size	UPC Code	
PTF2138SSL	21″	715688 066780	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
630 X 360 X 490	570	456	224

CRT TV
21″

Model	Size	UPC Code	
PTF2136	21″	715688 066773	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
640 X 510 X 520	410	328	160

PRECISION

LCD TV
19″ 24″

Model	Size	UPC Code	
PLCD1929BL	18.5″	715688 053162	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
530 X 140 X 480	2184	1923	935

Model	Size	UPC Code	
PLCD2429K	23″	715688 054312	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
660 X 150 X 495	1270	1170	568

PRECISION

LCD TV
32″ 40″

Model	Size	UPC Code	
PLCD3240BL	31.5″	715688 067251	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
855 X 150 X 610	900	714	360

Model	Size	UPC Code	
PLCD4039BL	40″	715688 066841	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
1220 X 200 X 700	367	341	162

PRECISION

LED TV
16″ 19″

Model	Size	UPC Code	
PLED1618K	15.6″	715688 067886	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
445 X 98 X 358	4377	3334	1848

Model	Size	UPC Code	
*PLED1918K	18.5″	715688 066858	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
510 X 115 X 410	2854	2409	1157

*NEW BASE "X" AVAILABLE FROM CHINA ONLY

PRECISION

LED TV
22″ 24″

Model	Size	UPC Code	
PLED2218K	21.6″	7156880 68470	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
580 X 117 X 457	2212	1920	949

Model	Size	UPC Code	
*PLED2418K	23.5″	715688 066902	
Carton Size (mm)	Loading Quantity (Sets)		
LxWxH	40′ HQ	40′ GP′	20′ GP
635 X 108 X 478	2018	1732	858

*NEW BASE "X" AVAILABLE FROM CHINA ONLY

PRECISION

LED TV
32″ 42″

Model	Size	UPC Code	
PLED3218K	32″	715688 066865	
Carton Size (mm)	**Loading Quantity (Sets)**		
LxWxH	40′ HQ	40′ GP′	20′ GP
860 X 140 X 615	911	744	360

Model	Size	UPC Code	
PLED4218K	42″	715688 066872	
Carton Size (mm)	**Loading Quantity (Sets)**		
LxWxH	40′ HQ	40′ GP′	20′ GP
1075 X 145 X 745	560	492	235

CRT-TV PRODUCT SPECIFICATION			
DESCRIPTION	**MODEL**	**PTF2136**	**PTF2138SSL**
	CURTAIN SCREEN ON/OFF	YES	YES
	MAINBOARD IC	8873-6up3	8873-6up3/8895-7FU7
	CRT BRAND	chunghua/Irico/Samsung	chunghua/Samsung/LG
	FBT	FTB BSC24-01N4006EV	FTB BSC25-01N4010D
	POWER IC	STR-W6553A	STR-W6554A
	REMOTE KEYS(QUANTITY)	RS17	RS17
TV SYSTEM	**TV SYSTEM**		
	BUILT-IN TUNER	YES	YES
	# OF CHANNEL/PROGRAM	181	181
		PAL-M/N,NTSCM	PAL-M/N,NTSCM
	SOUND SYSTEM	M/N	M/N
AV PLAYBACK	**AV PLAYBACK**		
	VIDEO SYSTEM	PAL-M/N,NTSC3.58	PAL-M/N,NTSC3.58
CONNECTORS	**CONNECTORS**		
	CABLE/ANTENNA INPUT	YES	YES
	COMPONENT VIDEO INPUT(YPbPr/YCbCr)	YES	YES
	COMPOSITE VIDEO INPUT	YES	YES
	S-VIDEO INPUT	NO	NO
	AUDIO STEREO INPUT	YES	YES
	COMPOSITE VIDEO OUTPUT	YES	YES
	AUDIO STEREO OUTPUT	MONO	MONO
PICTURE	**PICTURE**		
	COMB FILTER	NO	NO
	PROGRESSIVE SCANNING	YES	YES
	PICTURE CONTROL(BRIGHTNESS/CONTRAST ETC.)	YES	YES
	USER SELECTABLE PICTURE CONTROL	YES	YES
	USER SELECTABLE COLOR CONTROL	YES	YES
SOUND	**SOUND**		
	AV STEREO	MONO	MONO
	TONE CONTROL(BASS/TREBLE/BALANCE)	NO	NO
	USER SELECTABLE SOUND CONTROL	NO	NO
	SPEAKER QUANTITY/POSITION(Side or Bottom)	2 front	2 front
	AUDIO OUTPUT POWER	3W*2	3W*2
POWER SUPPLY	**POWER SUPPLY**		
	POWER SUPPLY	90-260V	90-260V
	MAIN POWER SWITCH		
	POWER CONSUMPTION	75W	75W
	STANDBY CONSUMPTION	<9W	<9W
OTHER FEATURES	**OTHER FEATURES**		
	OSD LANGUAGES	EN,SP.POR.FRE	EN,SP.POR.FRE
	NO SIGNAL BLUE SCREEN	YES	YES
	NO SIGNAL AUTO POWER OFF	YES	YES
	SLEEP TIMER	YES	YES
	RECALL	YES	YES
	AUTO POWER OFF	YES	YES
	QUICK VIEW	NO	NO
ACCESSORIES	**ACCESSORIES**		
	REMOTE CONTROL	YES	YES
	INSTRUCTION MANUAL	YES	YES
	WARRANTY CARD	NO	NO
	BATTERY	YES	YES
	EXTERNAL TUNER	NO	NO
	CIRCUIT DRAWING	YES	YES
DIMENSION: W X D X H (cm)	**DIMENSION: W X D X H (cm)**		
	PRODUCT DIMENSIONS	60 X 47 X 45	60 X 34 X 45
	CARTON DIMENSIONS	64 X 51 X 52	63 X 36 X 49
LOADING	**LOADING**		
	40HQ:	410	570
	40GP:	328	456
	20GP:	160	224

PRECISION

LCD-TV PRODUCT SPECIFICATION						
	PRODUCT DESCRIPTION	**PLCD1929BL**	**PLCD2429K**	**PLCD3240BL**	**PLCD4039BL**	**PLCD4239BL**
PRODUCT DESCRIPTION	BRAND	Precision	Precision	Precision	Precision	Precision
	MACHINE COLOR	Black	Black			
	MAINBOARD IC	Mstar V26	Mstar V26	Mstar 6M181	Mstar 6M181	Mstar 6M181
	POWER ADAPTER/POWER BOARD	12V4A	12V5A	180W	200W	Built-in powerboard
	REMOTE COTROL KEYS	32 keys	32 keys	42 keys	42 keys	
PANEL	**PANEL SPEC**					
	PANEL TYPE	AUO	SAMSUNG	CMO	CMO	
	PANEL SUPPLIER	Taiwan	Korea	Taiwan	Taiwan	
	SIZE	18.5"	23"	31.5"	40"	42"
	ASPECT RATIO	16:9	16:9	16:9	16:9	16:9
	RESOLUTION	1366*768	1920*1080	1366*768	1920*1080	1920*1080
	PIXEL PITCH (horizontal x vertical)	0.3*0.3mm	0.276*0.276mm	0.17025*0.51075mm	0.15375*0.46125mm	
	BRIGHTNESS (TYP) (unit:cd/m2)	300 cd/m2	300 cd/m2	500 cd/m2	450 cd/m2	400 cd/m2
	CONTRAST (TYP)	700/1	1000/1	1500/1	3000/1	1000/1
	VIEWING ANGLE(CR>=10) (TYPE)	85/85/80/80	85/85/80/80	176/176	176/176	176/176
	RESPONSE TIME （Tr＋Tf）	8ms	8ms	8ms	8ms	8ms
	RESPONSE TIME （GTG）					
	DISPLAY COLORS	16.7 million	16.7 million	16.7 million	16.7 million	16.7 million
TV SYSTEM	**TV SYSTEM**					
	BUILT-IN TUNER	Yes	Yes	Yes	Yes	Yes
	ATSC	Optional	Optional	Optional	Optional	Optional
	# OF CHANNEL/PROGRAM	199	199	199	199	199
	VIDEO SYSTEM	NTSC, PAL M/N	NTSC, PAL M/N	NTSC, PAL M/N	NTSC, PAL M/N	NTSC, PAL M/N
	SOUND SYSTEM	M/N	M/N	M/N	M/N	M/N
AV PLAYBACK	**AV PLAYBACK**					
	VIDEO SYSTEM	Pal, NTSC	Pal, NTSC	Pal, NTSC	Pal, NTSC	Pal, NTSC
	HDTV READY(1080I/720P/576P/480P)	720P	1080P	720P	1080P	1080P
CONNECTORS	**CONNECTORS**					
	CABLE/ANTENNA INPUT	cable input	cable input	cable input	cable input	cable input
	HDMI INPUT	1	1	3	2	2
	DVI INPUT	No	No	No	No	No
	15-PIN D-SUB INPUT (VGA)	1	1	1	1	1
	COMPONENT VIDEO INPUT(YPbPr/YCbCr)	1	1	2	2	2
	COMPOSITE VIDEO INPUT					1
	S-VIDEO INPUT	1	1	1	1	1
	AUDIO STEREO INPUT	1	1	2	3	2
	SD/MMC/MS	No	No	No	No	No
	USB INPUT	No	No	1 (MP3, Picture, Movie)	1 (MP3, Picture, Movie)	1 (MP3, Picture, Movie)
	PC AUDIO INPUT	Yes	Yes	Yes	Yes	Yes
	COMPOSITE VIDEO OUTPUT	Yes	Yes	Yes	Yes	Yes
	AUDIO STEREO OUTPUT	Yes	Yes	Yes	Yes	Yes
	HEADPHONE OUTPUT	Yes	Yes	Yes	Yes	Yes
PICTURE	**PICTURE**					
	COMB FILTER	2D	2D	3D	3D	3D
	PIP/POP/PBP	No	No	No	No	No
	PROGRESSIVE SCANNING	Yes	Yes	Yes	Yes	Yes
	3:2/2:2 PULL DOWN/FILM MODE	Yes	Yes	Yes	Yes	Yes
	PICTURE FREEZE	No	No	No	No	No
	PICTURE CONTROL(BRIGHTNESS/CONTRAST ETC.)	Yes	Yes	Yes	Yes	Yes
	USER SELECTABLE PICTURE CONTROL	Yes	Yes	Yes	Yes	Yes
	USER SELECTABLE COLOR CONTROL	Yes	Yes	Yes	Yes	Yes
SOUND	**SOUND**					
	AV STEREO	Yes	Yes	Yes	Yes	Yes
	TONE CONTROL(BASS/TREBLE/BALANCE)	Yes	Yes	Yes	Yes	Yes
	USER SELECTABLE SOUND CONTROL	Yes	Yes	Yes	Yes	Yes
	SPEAKER QUANTITY/POSITION(Side or Bottom)	2 speaker on the bottom of two sides				
	AUDIO OUTPUT POWER	2.6W x 2	2.6W x 2	8W x 2	8W x 2	8W x 2
POWER SUPPLY	**POWER SUPPLY**					
	POWER SUPPLY	100-240V,50-60HZ				
	MAIN POWER SWITCH	No	No	Yes	Yes	Yes
	12 VOLT DC POWER OPTION	Yes	Yes	No	No	No
	POWER CONSUMPTION	48W	60W	180W	200W	200W

LCD-TV PRODUCT SPECIFICATION						
PRODUCT DESCRIPTION		PLCD1929BL	PLCD2429K	PLCD3240BL	PLCD4039BL	PLCD4239BL
OTHER FEATURES	OTHER FEATURES					
	OSD LANGUAGES	English / Spanish / Portuguese				
	OSD POSITION/OSD TIMEOUT ADJUSTMENT	Top right side				
	SLEEP TIMER	YES	YES	YES	YES	YES
	RECALL	YES	YES	YES	YES	YES
	AUTO POWER OFF	YES	YES	YES	YES	YES
	QUICK VIEW	YES	YES	YES	YES	YES
ACCESSORIES	ACCESSORIES					
	REMOTE CONTROL	YES	YES	YES	YES	YES
	INSTRUCTION MANUAL	YES	YES	YES	YES	YES
	WARRANTY CARD	YES	YES	YES	YES	YES
	BATTERY	YES	YES	YES	YES	YES
	POWER LINE	YES	YES	YES	YES	YES
	STAND	YES	YES	YES	YES	YES
	WALL MOUNT	Optional	Optional	Optional	Optional	Optional
DIMENSION: W*D*H(mm)	DIMENSION: W*D*H(mm)					
	WITH STAND	480X230X390	580X230X450	790X200X560	990X290X670	1050X292X727
	CARTON	530X140X480	660X150X495	855X150X610	1220X200X700	1240X195X745
LOADING	LOADING					
	40HQ:	2184	1270	900	367	360
	40GP:	1923	1170	714	341	315
	20GP:	935	568	360	162	147
WEIGHT	WEIGHT(KG)					
	NET:	4	6.8	10	17.9	19.5
	GROSS:	6.5	8.9	11.7	22	23

LED-TV PRODUCT SPECIFICATION					
PRODUCT DESCRIPTION	PRODUCT DESCRIPTION	PLED1618K	PLED1918K	PLED2218K	PLED2418K
	BRAND	Precision	Precision	Precision	Precision
	MACHINE COLOR				
	MAINBOARD IC	Mstar V26	Mstar V26	Mstar V26	Mstar V26
	POWER ADAPTER/POWER BOARD	12V3A	12V3A	12V3A	12V4A
	REMOTE COTROL KEYS		32 keys		32 keys
PANEL	PANEL SPEC				
	PANEL TYPE		CMO		LG
	PANEL SUPPLIER		Taiwan		Korea
	SIZE	15.6"	19"	21.6"	23"
	ASPECT RATIO	16:9	16:9	16:9	16:9
	RESOLUTION	1366*768	1366*768	1366*768	1920*1080
	PIXEL PITCH (horizontal x vertical)		0.15375*0.46125mm		0.15375*0.46125mm
	BRIGHTNESS (TYP) (unit:cd/m2)		250 cd/m2		250 cd/m2
	CONTRAST (TYP)		1000/1		1000/1
	VIEWING ANGLE(CR>=10) (TYPE)		170/160		176/176
	RESPONSE TIME (Tr＋Tf)	8ms	8ms	8ms	8ms
	RESPONSE TIME (GTG)				
	DISPLAY COLORS	16.7 million	16.7 million	16.7 million	16.7 million
TV SYSTEM	TV SYSTEM				
	BUILT-IN TUNER	YES	YES	YES	YES
	ATSC	Optional	Optional	Optional	Optional
	# OF CHANNEL/PROGRAM	199	199	199	199
	VIDEO SYSTEM	NTSC, PAL M/N	NTSC, PAL M/N	NTSC, PAL M/N	NTSC, PAL M/N
	SOUND SYSTEM	M/N	M/N	M/N	M/N
AV PLAYBACK	AV PLAYBACK				
	VIDEO SYSTEM	Pal, NTSC	Pal, NTSC	Pal, NTSC	Pal, NTSC
	HDTV READY(1080I/720P/576P/480P)	720P	720P	720P	1080P
CONNECTORS	CONNECTORS				
	CABLE/ANTENNA INPUT	cable input	cable input	cable input	cable input
	HDMI INPUT	1	1	1	1
	DVI INPUT	NO	NO	NO	NO
	15-PIN D-SUB INPUT (VGA)	1	1	1	1
	COMPONENT VIDEO INPUT(YPbPr/YCbCr)	1	1	1	1
	COMPOSITE VIDEO INPUT	NO		NO	
	S-VIDEO INPUT	NO	NO	NO	NO
	AUDIO STEREO INPUT	1	1	1	1
	SD/MMC/MS	NO	NO	NO	NO
	USB INPUT	NO	NO	NO	NO
	PC AUDIO INPUT	YES	YES	YES	YES
	COMPOSITE VIDEO OUTPUT	YES	YES	YES	YES
	AUDIO STEREO OUTPUT	YES	YES	YES	YES
	HEADPHONE OUTPUT	YES	YES	YES	YES
PICTURE	PICTURE				
	COMB FILTER	2D	2D	2D	2D
	PIP/POP/PBP	No	No	No	No
	PROGRESSIVE SCANNING	YES	YES	YES	YES
	3:2/2:2 PULL DOWN/FILM MODE	YES	YES	YES	YES
	PICTURE FREEZE	NO	NO	NO	NO
	PICTURE CONTROL(BRIGHTNESS/CONTRAST ETC.)	YES	YES	YES	YES
	USER SELECTABLE PICTURE CONTROL	YES	YES	YES	YES
	USER SELECTABLE COLOR CONTROL	YES	YES	YES	YES
SOUND	SOUND				
	AV STEREO	YES	YES	YES	YES
	TONE CONTROL(BASS/TREBLE/BALANCE)	YES	YES	YES	YES
	USER SELECTABLE SOUND CONTROL	YES	YES	YES	YES
	SPEAKER QUANTITY/POSITION(Side or Bottom)	2 speaker on the bottom of two sides			
	AUDIO OUTPUT POWER	5W x 2	2.6W x 2	5W x 2	2.6W x 2
POWER SUPPLY	POWER SUPPLY				
	POWER SUPPLY	100-240V,50-60HZ			
	MAIN POWER SWITCH	NO	NO	NO	NO
	12 VOLT DC POWER OPTION	YES	YES	YES	YES
	POWER CONSUMPTION	36W	36W	36W	48W

LED-TV PRODUCT SPECIFICATION					
	PRODUCT DESCRIPTION	PLED1618K	PLED1918K	PLED2218K	PLED2418K
OTHER FEATURES	OTHER FEATURES				
	OSD LANGUAGES	English / Spanish / Portuguese			
	OSD POSITION/OSD TIMEOUT ADJUSTMENT	Top right side			
	SLEEP TIMER	YES	YES	YES	YES
	RECALL	YES	YES	YES	YES
	AUTO POWER OFF	YES	YES	YES	YES
	QUICK VIEW	YES	YES	YES	YES
ACCESSORIES	ACCESSORIES				
	REMOTE CONTROL	YES	YES	YES	YES
	INSTRUCTION MANUAL	YES	YES	YES	YES
	WARRANTY CARD	YES	YES	YES	YES
	BATTERY	YES	YES	YES	YES
	POWER LINE	YES	YES	YES	YES
	STAND	YES	YES	YES	YES
	WALL MOUNT	Optional	Optional	Optional	Optional
DIMENSION: W*D*H(mm)	DIMENSION: W*D*H(mm)				
	WITH STAND	410X119X321	466X183X366	534X107X350	590X180X440
	CARTON	445X98X358	510X115X410	580X117X457	635X108X478
LOADING	LOADING				
	40HQ:	4377	2854	2212	2018
	40GP:	3334	2409	1920	1732
	20GP:	1848	1157	949	858
WEIGHT	WEIGHT(KG)				
	NET:	1.8	3.7	4.58	4.5
	GROSS:	2.5	4.8	5.62	5.7

LED-TV PRODUCT SPECIFICATION			
PRODUCT DESCRIPTION	PRODUCT DESCRIPTION	PLED3218K	PLED4218K
	BRAND	Precision	Precision
	MACHINE COLOR		
	MAINBOARD IC	MTK8223	Mstar 6M181
	POWER ADAPTER/POWER BOARD	120W	150W
	REMOTE COTROL KEYS	42 keys	42 keys
PANEL	PANEL SPEC		
	PANEL TYPE	CMO	CMO
	PANEL SUPPLIER	Taiwan	Taiwan
	SIZE	31.5"	42"
	ASPECT RATIO	16:9	16:9
	RESOLUTION	1366*768	1920*1080
	PIXEL PITCH (horizontal x vertical)	0.15375*0.46125mm	0.15375*0.46125mm
	BRIGHTNESS (TYP) (unit:cd/m2)	380 cd/m2	450 cd/m2
	CONTRAST (TYP)	1200/1	6000/1
	VIEWING ANGLE(CR>=10) (TYPE)	178/178	176/176
	RESPONSE TIME（Tr＋Tf）	8ms	8ms
	RESPONSE TIME（GTG）		
	DISPLAY COLORS	16.7 million	1.07 G
TV SYSTEM	TV SYSTEM		
	BUILT-IN TUNER	YES	YES
	ATSC	Optional	Optional
	# OF CHANNEL/PROGRAM	199	199
	VIDEO SYSTEM	NTSC, PAL M/N	NTSC, PAL M/N
	SOUND SYSTEM	M/N	M/N
AV PLAYBACK	AV PLAYBACK		
	VIDEO SYSTEM	Pal, NTSC	Pal, NTSC
	HDTV READY(1080I/720P/576P/480P)	720P	1080P
CONNECTORS	CONNECTORS		
	CABLE/ANTENNA INPUT	cable input	cable input
	HDMI INPUT	1 or 3	3
	DVI INPUT	NO	NO
	15-PIN D-SUB INPUT (VGA)	1	1
	COMPONENT VIDEO INPUT(YPbPr/YCbCr)	1	2
	COMPOSITE VIDEO INPUT		
	S-VIDEO INPUT	NO	NO
	AUDIO STEREO INPUT	2	3
	SD/MMC/MS	NO	NO
	USB INPUT	1 (MP3, Picture)	1 (MP3, Picture, Movie)
	PC AUDIO INPUT	YES	YES
	COMPOSITE VIDEO OUTPUT	YES	YES
	AUDIO STEREO OUTPUT	YES	YES
	HEADPHONE OUTPUT	YES	YES
PICTURE	PICTURE		
	COMB FILTER	3D	3D
	PIP/POP/PBP	No	No
	PROGRESSIVE SCANNING	YES	YES
	3:2/2:2 PULL DOWN/FILM MODE	YES	YES
	PICTURE FREEZE	NO	NO
	PICTURE CONTROL(BRIGHTNESS/CONTRAST ETC.)	YES	YES
	USER SELECTABLE PICTURE CONTROL	YES	YES
	USER SELECTABLE COLOR CONTROL	YES	YES
SOUND	SOUND		
	AV STEREO	YES	YES
	TONE CONTROL(BASS/TREBLE/BALANCE)	YES	YES
	USER SELECTABLE SOUND CONTROL	YES	YES
	SPEAKER QUANTITY/POSITION(Side or Bottom)	2 speaker on the bottom of two sides	
	AUDIO OUTPUT POWER	8W x 2	8W x 2
POWER SUPPLY	POWER SUPPLY		
	POWER SUPPLY	100-240V,50-60HZ	
	MAIN POWER SWITCH	YES	YES
	12 VOLT DC POWER OPTION	NO	NO
	POWER CONSUMPTION	120W	150W

LED-TV PRODUCT SPECIFICATION			
	PRODUCT DESCRIPTION	PLED3218K	PLED4218K
OTHER FEATURES	OTHER FEATURES		
	OSD LANGUAGES	English / Spanish / Portuguese	
	OSD POSITION/OSD TIMEOUT ADJUSTMENT	Top right side	
	SLEEP TIMER	YES	YES
	RECALL	YES	YES
	AUTO POWER OFF	YES	YES
	QUICK VIEW	YES	YES
ACCESSORIES	ACCESSORIES		
	REMOTE CONTROL	YES	YES
	INSTRUCTION MANUAL	YES	YES
	WARRANTY CARD	YES	YES
	BATTERY	YES	YES
	POWER LINE	YES	YES
	STAND	YES	YES
	WALL MOUNT	Optional	Optional
DIMENSION: W*D*H(mm)	DIMENSION: W*D*H(mm)		
	WITH STAND	790X200X560	1020X260X570
	CARTON	860X140X615	1075X145X745
LOADING	LOADING		
	40HQ:	911	560
	40GP:	744	492
	20GP:	360	235
WEIGHT	WEIGHT(KG)		
	NET:	11.5	13.5
	GROSS:	12.6	14.8

PRECISION

CATALOG 2012

LED TV LCD TV

15800 NW 48th Ave, Miami Gardens. FL, 33014 U.S.A
Phone: (305) 592 4500 Fax: (305) 593 6169